



4.1 Most frequent NRTI combinations: reference 1st January, 2021

REGIMEN	nb	%
ETC TAF	5911	61
ABC 3TC	1764	18
3TC	714	7
ETC TDF	492	5
ETC	117	1
TOTAL	93	

4.1.1 Most frequent NRTI comb: reference 30th June, 2020

REGIMEN	nb	%
ETC TAF	5856	60
ABC 3TC	2017	21
ETC TDF	560	6
3TC	434	4
ETC	190	2
TOTAL	94	

4.1.2 Most frequent NRTI combinations: reference 1st January, 2020

REGIMEN	nb	%
ETC TAF	5710	58
ABC 3TC	2228	23
ETC TDF	633	6
3TC	364	4
ETC	196	2
TOTAL	94	

4.1.3 Most frequent NRTI combinations: reference 1st January, 2019

REGIMEN	nb	%
ETC TAF	4785	49
ABC 3TC	2802	29
ETC TDF	1081	11
3TC	221	2
ETC	191	2
TOTAL	94	



4.1.4 Most frequent NRTI combinations: reference 1st January 2018

REGIMEN	nb	%
ETC TAF	3206	33
ABC 3TC	2986	31
ETC TDF	2357	24
3TC	230	2
AZT 3TC	103	1
Total		91

4.1.5 Most frequent NRTI combinations: reference 1st January 2017

REGIMEN	nb	%
ETC TDF	4749	49
ABC 3TC	3071	32
ETC TAF	480	5
3TC	218	2
AZT 3TC	147	2
Total		90

4.1.6 Most frequent NRTI combinations: reference 1st January 2016

REGIMEN	nb	%
ETC TDF	5425	56
ABC 3TC	2731	28
3TC	201	2
AZT 3TC	201	2
TDF	172	2
Total		90



4.2 Number of different substances: Median number of substances, and nr of patients taking 1, 2, 3, 4, 5, >5 substances

	median	1	2	3	4	5	>5
2020	3 [3,3]	83	912	6576	1674	322	62
2019	3 [3,3]	101	592	6755	1997	323	63
2018	3 [3,4]	106	335	6578	2398	334	68
2017	3 [3,4]	110	272	6553	2470	347	77
2016	3 [3,4]	120	226	6752	2311	309	73